

Technical Datasheet


Nitrile gloves Safe Super Stretch | powder-free

HYGO STAR

Art.no.: 261781

Basic-UDI: 40155440110GP

Product image



Product specifications

- **extremely elastic, more stretchy than latex**
- disposable gloves made of lightweight nitrile
- especially **skin-friendly**, as free of accelerators
- time-saving: flexible material for quick donning and doffing
- excellent fit and very good tactile sensitivity
- powder-free, non-sterile, rolled cuff, ambidextrous fit

Area of application

- for industry, kitchen, laboratory, food industry and medical areas

Specification

Colour	blue
Size	6/XS
Length	24cm

Technical Datasheet

Nitrile gloves Safe Super Stretch | powder-free

HYGO STAR

Art.no.: 261781


Basic-UDI: 40155440110GP

Additional information disposable gloves

Thickness fingertips in mm ($\pm 10\%$)	0.08
Thickness palm in mm ($\pm 10\%$)	0.08
Thickness shaft in mm ($\pm 10\%$)	0.05
Tear strength (min.) in N	6
Elasticity (min.) in %	700

Classification

Product standards



Product properties

Quality level	5 of 8
oil and grease resistance	5 of 8
chemical resistance	5 of 8
Powdering	powder-free
material	nitrile
medical device-export to Switzerland	Swiss authorised representative: Johner Medical Schweiz GmbH

Packing

Type of inner packaging	Cardboard
Type of outer packaging	Cardboard
Quantity inner packing	100 piece
Quantity outer packing	1.000 piece
Quantity CCG1 pallet	48.000 piece
Quantity full pallet	108.000 piece
LxWxH outer packing in cm	28,5 x 24,5 x 22,0
Volume outer packing in m ³	0.0153615
Weight outer packing in gr.	3.790

Updated 04.04.2023

Page 2/3

Technical Datasheet

Nitrile gloves Safe Super Stretch | powder-free

HYGO STAR

Art.no.: 261781

Basic-UDI: 40155440110GP

Additional information

Costums tariff number	4015120000
Country of origin	MY
EAN code outer packing	4015544906417
EAN code inner packing	4015544710946
Minimum shelf life	5 years from production date

You need more detailed information? We will be happy to advise you!

The technical data are average production values and may deviate slightly in individual cases.
Subject to change without notice, no warranty for misprints or errors.